khaitan®
khaitan
khaitan
AURAS
DIGITAL
khaitan
CORAL
Ocio
DIGITAL
LIFE BANAYE HOT



khaitan®

The name is enough

**Khaitan Water Heaters have special safety devices for 100% peace of mind...**

**Khaitan - the trusted household name - presents the finest electric water heater in the market. Every Water Heater is manufactured under stringent quality control, conforming to the specifications of Bureau of Indian standards and also BEE Star rating performance and efficiency level, to let you enjoy years of fault free, hassle free performance.**

## MULTIPLE SAFETY FEATURES

**Thermostat**: ISI - marked stem type/capillary Thermostat, preset at 65°C, a safety device which cuts off electric supply when the water reaches preset temperature level.

**Thermal Cut-out:** Disconnect power supply in case the thermostat fails to operate, ensuring safety to the water heater. It is preset at 85°C ± 6°C.

**Built-in Pressure Release Valve:** An additional level of safety device, fitted at the inlet pipe and preset at 60 psi.. It starts to drip if there is higher incoming pressure and also releases the inner pressure built up.

**Multifunction Valve:** A 3rd Level safety device, which releases extra pressure when temperature exceeds limits, prevents water back flow, drain out when safety level is breached and releases vacuum in case of faulty water flow. Fitted in the outlet of the Water Heater.

**Fusible Plug:** This is the highest level built - in safety device, which melts at 98°C releasing hot water and steam through drain pipe.

**Magnesium Anode:** Enhances hard water protection by presenting scale formation for rust & corrosion and extending life of tank & heating element.

# High Quality Water Heaters

## 100% Quality Check

- Quality is the prime focus of Khaitan Water Heater and is never compromised.
- Khaitan utilizes only the best raw materials and owns the most technologically advanced state of the art machinery operated by skilled technicians.
- The manufacturing process is monitored at every stage in order to guarantee the conformity of every unit produced to Khaitan high standards.
- Every detail up to the final packaging and distribution of products is handled professionally.

## QUALITY ASSURANCE MEASURE

### 1 RAW MATERIALS

A thorough check of mechanical properties of steel is performed at incoming stage for ensuring the uniformity of inner tank and outer shell construction and thickness.

### 2 TANK AND SHELL SHAPING

Steel is pressed and formed to obtain the inner and outer shape of the water heater.

### 3 WELDING PROCESS

The high quality of the welding process is a primary requirment to ensure long-life water heater. The Water Heater manufacturing process adopts single weld advanced MIG welding techniques to withstand hydraulic pressure. Test upto 10 Bar for leakage

Test upto 10 Bar for leakage

### 4 LEAKAGE TEST

Each water heater tank is individually tested three times during the manufacturing process of which hydraulic test is performed under a pressure of 10 bar.
100% leakage check

### 5 ENAMELING PROCESS

The inner surface of the tank is protected by a special glasslining treatment fired at a temperature of 850°C. This porcelain layer ensures high resistance to rust and corrosion and guarantees provision of hygienic water.
100% enameling quality check

### 6 FINISHING OUTER SHELL

The outer shell is coated with epoxy powder coating paint and baked at 200°C which guarantee a superior finish & 100% proof against corrosion and ensuring long lasting life/longevity.

### 7 ELECTRICAL COMPONENTS

The efficiency of each heating element and thermostat is checked properly before the final assembly.
100% efficiency check


khaitan®
WIDE RANGE
To Suit Every Need
Premium Quality Water Heater that can
make your bath more refreshing & pleasant
FEEL THE PRIDE OF
POSSESSION
khaitan
AURAS
DIGITAL
Flamingo
inferno
BLAZE
CORAL
Ocio
Zodiak

# Glass Line Water Heater

Glass line geyser water heater is equipped with a glass-lined tank. The glass lining acts as a protective barrier between the water and the inner tank, preventing corrosion and extending the geyser's lifespan

Features of a storage heater

- The glass lining protects the inner tank from corrosion, ensuring a longer lifespan for the geyser.
- It also helps maintain water quality by preventing contact between the water and the metal tank.
- Glass line geysers are known for their durability and resistance to hard water, making them suitable for various water conditions.

khaitan®

# Coral

NEW ARRIVAL

- Available in 10, 15, 25 Ltr
- Wattage 2kW
- Rust proof high density PP body
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 10 Ltr | 360 mm | 285 mm | 393 mm |
| 15 Ltr | 397 mm | 315 mm | 430 mm |
| 25 Ltr | 445 mm | 368 mm | 480 mm |

# Auras Square

- Available in 10, 15, 25 Ltr
- Wattage 2kW
- Rust proof high density ABS body
- Temperature control and monitoring through Digital Display
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 10 Ltr | 385 mm | 295 mm | 400 mm |
| 15 Ltr | 385 mm | 360 mm | 400 mm |
| 25 Ltr | 465 mm | 385 mm | 480 mm |

# Auras (DIGITAL)

- Available in 06, 10, 15, 25 Ltr
- Wattage 2kW
- Rust proof GPSP (Galvanized Plain Skin Pass) body
- Temperature control and monitoring through Digital Display
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 10 Ltr | 300 mm | 315 mm | 430 mm |
| 15 Ltr | 340 mm | 355 mm | 460 mm |
| 25 Ltr | 340 mm | 355 mm | 620 mm |




BEE - 5 STAR RATED WATER HEATER

On Inner Tank

High quality glass line tank and PUF insulation

Fitted with Incoloy heating element for longer life

Adjustable temperature control knob

NEW ARRIVAL

# Ocio (DIGITAL)

- Available in 10, 15, 25 Ltr
- Wattage 2kW
- Rust proof PCM ( Powder Coated Metal ) body
- Temperature control and monitoring through Digital Display
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 10 Ltr | 360 mm | 320 mm | 400 mm |
| 15 Ltr | 360 mm | 320 mm | 475 mm |
| 25 Ltr | 430 mm | 360 mm | 565 mm |

BEE - 5 STAR RATED WATER HEATER

On Inner Tank

High quality glass line tank and PUF insulation

Fitted with Incoloy heating element for longer life

Adjustable temperature control knob

# Auras *(GPSP Outer Body)*

- Available in 06, 10, 15, 25, 35, 50 Ltr
- Wattage 2kW
- Rust proof GPSP (Galvanized Plain Skin Pass) body
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 280 mm | 285 mm | 360 mm |
| 10 Ltr | 300 mm | 315 mm | 430 mm |
| 15 Ltr | 340 mm | 355 mm | 460 mm |
| 25 Ltr | 340 mm | 355 mm | 620 mm |
| 35 Ltr | 380 mm | 395 mm | 675 mm |
| 50 Ltr | 380 mm | 395 mm | 775 mm |



# Auras *(ABS Outer Body)*

- Available in 06, 10, 15, 25, 35, 50 Ltr
- Wattage 2kW
- Rust proof ABS body
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 280 mm | 285 mm | 360 mm |
| 10 Ltr | 300 mm | 315 mm | 430 mm |
| 15 Ltr | 340 mm | 355 mm | 460 mm |
| 25 Ltr | 340 mm | 355 mm | 620 mm |
| 35 Ltr | 380 mm | 395 mm | 675 mm |
| 50 Ltr | 380 mm | 395 mm | 775 mm |

Note : BEE star rating for 35ltr aurus will be 4 star & for 50ltr will be 3 star for both Aurus GPSP & Aurus ABS

# Ocio

- Available in 06, 10, 15, 25 Ltr
- Wattage 2kW
- Rust proof PCM (Powder Coated metal) body
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 275 mm | 265 mm | 370 mm |
| 10 Ltr | 330 mm | 320 mm | 400 mm |
| 15 Ltr | 330 mm | 320 mm | 475 mm |
| 25 Ltr | 370 mm | 360 mm | 565 mm |

BEE - 5 STAR RATED WATER HEATER

On Inner Tank

High quality glass line tank and PUF insulation


Fitted with Incoloy heating element for longer life

Adjustable temperature control knob

# Flamingo

- Available in 06, 10, 15, 25 Ltr
- Wattage 2kW
- Rust proof PP (Polypropylene Plastic) body
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 280 mm | 270 mm | 380 mm |
| 10 Ltr | 280 mm | 270 mm | 465 mm |
| 15 Ltr | 390 mm | 380 mm | 455 mm |
| 25 Ltr | 390 mm | 380 mm | 585 mm |

BEE - 5 STAR RATED WATER HEATER

On Inner Tank

High quality glass line tank and PUF insulation


Fitted with Incoloy heating element for longer life

Adjustable temperature control knob

# Blaze *(GPSP Outer Body)*

- Available in 06, 10, 15, 25, 35, 50 Ltr
- Wattage 2kW
- Rust proof GPSP (Galvanized Plain Skin Pass) body
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 280 mm | 285 mm | 360 mm |
| 10 Ltr | 300 mm | 315 mm | 430 mm |
| 15 Ltr | 340 mm | 355 mm | 460 mm |
| 25 Ltr | 340 mm | 355 mm | 620 mm |
| 35 Ltr | 380 mm | 395 mm | 675 mm |
| 50 Ltr | 380 mm | 395 mm | 775 mm |



# Blaze *(ABS Outer Body)*

- Available in 06, 10, 15, 25, 35, 50 Ltr
- Wattage 2kW
- Rust proof ABS (Acrylonitrile butadiene styrene) body
- External temperature control
- Heavy duty Incoloy glass-line element with 2 years guarantee
- 5 in 1 multi functional valve
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 280 mm | 285 mm | 360 mm |
| 10 Ltr | 300 mm | 315 mm | 430 mm |
| 15 Ltr | 340 mm | 355 mm | 460 mm |
| 25 Ltr | 340 mm | 355 mm | 620 mm |
| 35 Ltr | 380 mm | 395 mm | 675 mm |
| 50 Ltr | 380 mm | 395 mm | 775 mm |



Note : BEE star rating for 35ltr Blaze will be 4 star & for 50ltr will be 3 star for both Blaze GPSP & Blaze ABS

# Instant Water Heater

Instant water heater are also known as demand-Type water heaters. When its tap is turned ON, cold water travels through a pipe and comes out of a tap heated as per the required temperature and saving energy in the process. The water heater has a jointless Leak proof inner Tank to ensure no leakage of water and have smart shield protection that will allow to have safe warm water without any contamination.

Features of Instant Water heater

- Powerful heating element
- Elegant and compact design
- Rust proof body
- Advanced four level safety of stem type Thermostat, Thermal Cut-out, pressure realease valve & Fusible plug
- ISI Compliant

NEW ARRIVAL

# Inferno

- Available in 5.5 Ltr
- Wattage 3kW
- Rust proof high grade PP (Polypropylene Plastic) body
- Joint less leak proof inner tank
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 5.5 Ltr | 245 mm | 215 mm | 430 mm |

5 YEARS WARRANTY
On Inner Tank

Inner tank made with high grade ss - 304 stanless steel

Extra thick heating element for quicker heating

High density glass wool insulation for heat preservation and energy saving

6.5 BAR
Can withstand pressure up to 6.5 bar

# Flamingo

- Available in 03 Ltr
- Wattage 3kW
- Rust proof high grade PP (Polypropylene Plastic) body
- Joint less leak proof inner tank
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 03 Ltr | 230 mm | 190 mm | 375 mm |

5 YEARS WARRANTY
On Inner Tank

Inner tank made with high grade ss - 304 stanless steel

Extra thick heating element for quicker heating

High density glass wool insulation for heat preservation and energy saving

6.5 BAR
Can withstand pressure up to 6.5 bar

# Zodiak

NEW ARRIVAL

- Available in 03 Ltr
- Wattage 3kW
- Rust proof high grade PP (Polypropylene Plastic) body
- Joint less leak proof inner tank
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 03 Ltr | 225 mm | 200 mm | 370 mm |

5 YEARS WARRANTY
On Inner Tank

Inner tank made with high grade ss - 304 stanless steel

Extra thick heating element for quicker heating

High density glass wool insulation for heat preservation and energy saving

6.5 BAR
Can withstand pressure up to 6.5 bar

# Gas Water Heater

In gas water heater, cold water flows into the water heater when the tap is opened. This flow is detected by a sensor that notifies the gas burner. Water flows through a sepentile coil in the heat exchanger that heats the water. This leads to hot water running for your perfect shower experience.

Features of a storage heater

- Copper heat exchanger & SS burners
- Rated Low pressure
- Automatic ignition & 20 min timer
- Flame failure protection
- Overheat protection and dry heat protection
- ISI compliant

# Inferno

- Available in 06 Ltr
- Elegant Metal powder coated outer body
- Extra-large copper heat exchanger for instant heating
- Suitable for low pressure use

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 285 mm | 125 mm | 550 mm |

Overheat protection (auto cut off>90°C)

Automated ignition system

Safety device for accidental flameout

Gas flow cut off timer (20min) for extra safety

# Storage Water Heater

A Storage water heater fulfils need for ready hot water. It is a water heating appliance that uses a large heating appliance that uses a large tank of specific capacity to store hot water for longer duration. The Storage water heater employ mechanism when the cold water enters the tank and is heated  inside the tank . Once the water is heated to desired temperature of hot water, one can turn on the tap & enjoy steam of hot water at his convenient and the remaining hot water gets stored in the tank to use later

Features of a storage heater
- Ready supply of hot water
- Low cost installation & easy to set up
- Hassle free maintenance
- Compatibility
- High flow rate in water needed

# Zodiak

- Available in 06, 10, 15, 25 Ltr
- Wattage 2kW
- Powder coated MS (Mild Sheet) body
- Inbuilt Pressure release valve for additional safety
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 290 mm | 265 mm | 390 mm |
| 10 Ltr | 290 mm | 265 mm | 460 mm |
| 15 Ltr | 345 mm | 330 mm | 490 mm |
| 25 Ltr | 385 mm | 365 mm | 530 mm |

BEE - 5 STAR RATED WATER HEATER

5 YEARS WARRANTY On Inner Tank

Multiple safety system

High precision ISI marked thermostat

Super efficient ISI marked copper heating element

High Grade SS-304 stainless steel iner tank

Fire retardant ISI power cable

# Inferno

- Available in 06, 10, 15, 25 Ltr
- Wattage 2kW
- Powder coated MS (Mild Sheet) body
- Inbuilt Pressure release valve for additional safety
- 2 years comprehensive warranty

| | Length | Width | Height |
|---|---|---|---|
| 06 Ltr | 275 mm | 260 mm | 430 mm |
| 10 Ltr | 275 mm | 260 mm | 490 mm |
| 15 Ltr | 350 mm | 295 mm | 475 mm |
| 25 Ltr | 410 mm | 400 mm | 540 mm |

BEE - 5 STAR RATED WATER HEATER

5 YEARS WARRANTY On Inner Tank

Multiple safety system

High precision ISI marked thermostat

Super efficient ISI marked copper heating element

High Grade SS-304 stainless steel iner tank

Fire retardant ISI power cable

# Technical Specification

| Models | Model No. | Mounting | Bee Rating | Wattage (kW) | Pressure |
|---|---|---|---|---|---|
| **Glass Line** | | **Coral** | | | **Storage** |
| Coral 10 Ltr | KGCD 10M | Vertical | 5 Star | 2 | 8 Bar |
| Coral 15 Ltr | KGCD 15M | Vertical | 5 Star | 2 | 8 Bar |
| Coral 25 Ltr | KGCD 25M | Vertical | 5 Star | 2 | 8 Bar |
| **Glass Line** | | **Auras Square** | | | **Storage** |
| Auras 10 Ltr | KGAS 10E | Vertical | 5 Star | 2 | 8 Bar |
| Auras 15 Ltr | KGAS 15E | Vertical | 5 Star | 2 | 8 Bar |
| Auras 25 Ltr | KGAS 25E | Vertical | 5 Star | 2 | 8 Bar |
| **Glass Line** | | **Auras Digital** | | | **Storage** |
| Auras Digital 06 Ltr | KGAD 06E | Vertical | 5 Star | 2 | 8 Bar |
| Auras Digital 10 Ltr | KGAD 10E | Vertical | 5 Star | 2 | 8 Bar |
| Auras Digital 15 Ltr | KGAD 15E | Vertical | 5 Star | 2 | 8 Bar |
| Auras Digital 25 Ltr | KGAD 25E | Vertical | 5 Star | 2 | 8 Bar |
| **Glass Line** | | **Ocio Digital** | | | **Storage** |
| Ocio Digital 06 Ltr | KGOD 06M | Vertical | 5 Star | 2 | 8 Bar |
| Ocio Digital 10 Ltr | KGOD 10M | Vertical | 5 Star | 2 | 8 Bar |
| Ocio Digital 15 Ltr | KGOD 15M | Vertical | 5 Star | 2 | 8 Bar |
| Ocio Digital 25 Ltr | KGOD 25M | Vertical | 5 Star | 2 | 8 Bar |
| **Glass Line** | | **Aurus & Blaze (GPSP Outer Body)** | | | **Storage** |
| Auras & Blaze 06 Ltr | KGAM 06E | KGBM 06E | Vertical | 5 Star | 2 | 8 Bar |
| Auras & Blaze 10 Ltr | KGAM 10E | KGBM 10E | Vertical | 5 Star | 2 | 8 Bar |
| Aurus & Blaze 15 Ltr | KGAM 15E | KGBM 15E | Vertical | 5 Star | 2 | 8 Bar |
| Aurus & Blaze 25 Ltr | KGAM 25E | KGBM 25E | Vertical | 5 Star | 2 | 8 Bar |
| Auras & Blaze 35 Ltr | KGAM 35E | KGBM 35E | Vertical | 4 Star | 2 | 8 Bar |
| Auras & Blaze 50 Ltr | KGAM 50E | KGBM 50E | Vertical | 3 Star | 2 | 8 Bar |
| **Glass Line** | | **Aurus & Blaze (ABS Outer Body)** | | | **Storage** |
| Auras & Blaze 06 Ltr | KGAA 06E | KGBA 06E | Vertical | 5 Star | 2 | 8 Bar |
| Auras & Blaze 10 Ltr | KGAA 10E | KGBA 10E | Vertical | 5 Star | 2 | 8 Bar |
| Aurus & Blaze 15 Ltr | KGAA 15E | KGBA 15E | Vertical | 5 Star | 2 | 8 Bar |
| Aurus & Blaze 25 Ltr | KGAA 25E | KGBA 25E | Vertical | 5 Star | 2 | 8 Bar |
| Auras & Blaze 35 Ltr | KGAA 35E | KGBA 35E | Vertical | 4 Star | 2 | 8 Bar |
| Auras & Blaze 50 Ltr | KGAA 50E | KGBA 50E | Vertical | 3 Star | 2 | 8 Bar |
| **Glass Line** | | **Ocio** | | | **Storage** |
| Ocio 06 Ltr | KGOM 06M | Vertical | 5 Star | 2 | 8 Bar |
| Ocio 10 Ltr | KGOM 10M | Vertical | 5 Star | 2 | 8 Bar |
| Ocio 15 Ltr | KGOM 15M | Vertical | 5 Star | 2 | 8 Bar |
| Ocio 25 Ltr | KGOM 25M | Vertical | 5 Star | 2 | 8 Bar |
| **Glass Line** | | **Flamingo** | | | **Storage** |
| Flamingo 06 Ltr | KGFP 06M | Vertical | 5 Star | 2 | 8 Bar |
| Flamingo 10 Ltr | KGFP 10M | Vertical | 5 Star | 2 | 8 Bar |
| Flamingo 15 Ltr | KGFP 15M | Vertical | 5 Star | 2 | 8 Bar |
| Flamingo 25 Ltr | KGFP 25M | Vertical | 5 Star | 2 | 8 Bar |
| **Instant** | | **Inferno** | | | |
| Inferno 5.5 Ltr | KGIP 5.5M | Vertical | NA | 3 | 6.5 Bar |
| **Instant** | | **Flamingo** | | | |
| Flamingo 3 Ltr | KGFP 03M | Vertical | NA | 3 | 6.5 Bar |
| **Instant** | | **Zodiak** | | | |
| Flamingo 3 Ltr | KGZP 03S | Vertical | NA | 3 | 6.5 Bar |
| **Gas** | | **Inferno** | | | |
| Inferno 06 Ltr | KGIM 06M | Vertical | NA | 12 | NA |
| **Storage** | | **Zodiak** | | | |
| Zodiak 06 Ltr | KGZM 06S | Vertical | 3 Star | 2 | 3.5 Bar |
| Zodiak 10 Ltr | KGZM 10S | Vertical | 3 Star | 2 | 3.5 Bar |
| Zodiak 15 Ltr | KGZM 15S | Vertical | 3 Star | 2 | 3.5 Bar |
| Zodiak 25 Ltr | KGZM 25S | Vertical | 3 Star | 2 | 3.5 Bar |
| **Storage** | | **Inferno** | | | |
| Inferno 06 Ltr | KGIS 06M | Vertical | 3 Star | 2 | 3.5 Bar |
| Inferno 10 Ltr | KGIS 10M | Vertical | 3 Star | 2 | 3.5 Bar |
| Inferno 15 Ltr | KGIS 15M | Vertical | 3 Star | 2 | 3.5 Bar |
| Inferno 25 Ltr | KGIS 25M | Vertical | 3 Star | 2 | 3.5 Bar |

# Khaitan Water Heater

## SMART SELECTION **GUIDE**

### TIPS TO HELP YOU ON SELECTING THE RIGHT WATER HEATER CAPACITY.

Different bathing styles require different water usage: A bathtub, showers and the commonly used bucket, all consume different volume of heated water. Average warm water consumption in various usage options are as below.




### COMFORTABLE WARM WATER TEMPERATURE

The lower the ambient temperature, the cooler the water in the tap and hence a need for higher volume of hot water for mixing to get the desired warm water temperature. In case of cold weather conditions it is advisable to have a higher capacity of water heater, looking into the consumption.

### WATER FLOW RATE

Water flow rate refers to the rate at which water flows into the water heater. The faster the speed of inlet water, the slower the water is heated to set temperature. In this scenario, it is desirable to go for a higher capacity Water Heater, as the pre-heated water in the tank will help modulate the drop in temperature due to the fast flowing inlet water and speedily provide water at the desired temperature.

### SAVE ENERGY

Made to provide best in class performance and energy efficiency, Khaitan range of water heaters come with BEE 5 star rating, helping you save on your electricity bills. Choosing the optimum capacity of water heater further helps in reducing operating costs.

The name is enough

khaitan (India) Limited

46C, J. L. Nehru Road, Kolkata - 700 071 (India)
Phone : 4050 5039 / 40 . Email : marketing@khaitan.com . www.khaitan.com

WE PURSUE A POLICY OF CONTINUOUS DEVELOPMENT AND RESERVE OUR RIGHT TO CHANGE THE DESIGN / SPECIFICATIONS FROM THOSE ILLUSTRATED / PUBLISHED, AT ANY TIME WITHOUT NOTICE

khaitan CUSTOMER CARE
8584828210 7603060192
http://khaitan.onservice.in/callcenter/webres.aspx
customercare@khaitan.com | www.khaitan.com

Aug 23